

ORDER FORM



ECO TRAVEL



Company/Customer ID:	P.O. Number:	Date:
Contact person:	Other delivery address/Company:	
Street address:	Street address:	
City and Post Code:	City and Post Code:	
TEL:	Remark:	
E-Mail:		

☐







REQUEST A QUOTE

☐

PLACE AN ORDER

User Information:	Form of the front tubes:
User name as reference:	<input type="checkbox"/> ROUND
Wheelchair Brand/Model:	<input type="checkbox"/> OVAL
Approx user weight:	<input type="checkbox"/> KÜSCHALL K2
Front Tube Diameter:	<input type="checkbox"/> KÜSCHALL K1
Distance between front tubes (center to center):	<input type="checkbox"/> MEYRA FEMTO R
REQUEST DELIVERY DATE:	<input type="checkbox"/> OFFCARR THEMIS
	<input type="checkbox"/> OFFCARR HEKA















1. ECO TRAVEL Lx (incl. travel bag designed for it and safe travel)

Picture	Specifications		Price excl. VAT	Select the type	Qty
	<ul style="list-style-type: none"> • Motor: 350W incl. 8"/200 mm rubber tire • Battery: Lithium-ion, 48V, 5.8Ah (278Wh) • Driving range: up to 45 km • Max speed: up to 20 km/h (3 gears) • Max user weight: 110 kg • Docking: Manual • Width range for wheelchair installation: 210-480 mm • Compatible wheelchairs: Rigid & folding frames • ECO Travel Lx net weight: 8.88 kg • ECO Travel Lx complete weight: 13.86 kg • Total weight incl. travel bag and charger: 23.5 kg 	Black 	RET08BKA00 € ●	Standard handles	
			RET08BKA0T € ○	Tetra handles	
		Green 	RET08GRA00 € ●	Standard handles	
			RET08GRA0T € ○	Tetra handles	
		Orange 	RET08ORA00 € ●	Standard handles	
			RET08ORA0T € ○	Tetra handles	
		Blue 	RET08BLA00 € ●	Standard handles	
			RET08BLA0T € ○	Tetra handles	
		Red 	RET08REA00 € ●	Standard handles	
			RET08REA0T € ○	Tetra handles	

1. ECO TRAVEL Bx


















Picture	Specifications		Price excl. VAT	Select the type	Qty
	<ul style="list-style-type: none"> • Motor: 250W incl. 8"/200 mm rubber tire • Battery: Lithium-ion, 48V, 5.8Ah (278Wh) • Driving range: up to 45 km • Max speed: up to 15 km/h (2 gears) • Max user weight: 110 kg • Docking: Manual • Width range for wheelchair installation: 210-480 mm • Compatible wheelchairs: Rigid & folding frames • ECO Travel Bx net weight: 7.9 kg • ECO Travel Bx complete weight: 12.88 kg 	Black 	RET08BKS00 € ●	Standard handles	

3. Arms with raised clamp holder for correct clamping


Picture	Picture	Description	Extra price excl. VAT	Opt.	Qty.
 	  	Arms 100 mm with 80 mm raised clamp holder for mounting widths 245-345 mm Mounting heights: 310-360 mm* Items: R: EBC220A / L: EBC220B ○	included		
		Arms 150 mm with 80 mm raised clamp holder for mounting widths 335-415 mm Mounting heights: 310-360 mm* Items: R: EBC220A2 / L: EBC220B2 ○	€ 0,00		
		Arms 190 mm with 80 mm raised clamp holder for mounting widths 415-480 mm Mounting heights: 310-360 mm* Items: R: EBC220A3 / L: EBC220B3 ○	€ 0,00		
	  	Arms 100 mm with 130 mm raised clamp holder for mounting widths 245-345 mm. Mounting heights: 360-405 mm* Items: R: EBC220C / L: EBC220D ○	€ 0,00		
		Arms 150 mm with 130 mm raised clamp holder for mounting widths 335-415 mm. Mounting heights: 360-405 mm* Items: R: EBC220C2 / L: EBC220D2 ○	€ 0,00		
		Arms 190 mm with 130 mm raised clamp holder for mounting widths 415-480 mm. Mounting heights: 360-405 mm* Items: R: EBC220C3 / L: EBC220D3 ○	€ 0,00		
	  	Arms 100 mm with 190 mm raised clamp holder for mounting widths 245-345 mm. Mounting heights: 420-470 mm* Items: R: EBC220E / L: EBC220F ○	€ 0,00		
		Arms 150 mm with 190 mm raised clamp holder for mounting widths 335-415 mm. Mounting heights: 420-470 mm* Items: R: EBC220E2 / L: EBC220F2 ○	€ 0,00		
		Arms 190 mm with 190 mm raised clamp holder for mounting widths 415-480 mm. Mounting heights: 420-470 mm* Items: R: EBC220E3 / L: EBC220F3 ○	€ 0,00		
	  	Arms 100 mm with 80 mm raised and angled clamp holder for mounting widths 210-310 mm Mounting heights: 310-360 mm* Items: R: EBC220G / L: EBC220H ○ Can only be used for round tubes!	€ 0,00		
		Arms 100 mm with 130 mm raised and angled clamp holder for mounting widths 210-310 mm Mounting heights: 360-405 mm* Items: R: EBC220J / L: EBC220K ○ Can only be used for round tubes!	€ 0,00		
		Arms 100 mm with 190 mm raised and angled clamp holder for mounting widths 210-310 mm Mounting heights: 420-470 mm* Items: R: EBC220L / L: EBC220R ○ Can only be used for round tubes!	€ 0,00		

* measured from the ground to the top side of the clamp



4. Clamps

Picture	Description	Extra price excl. VAT	Opt.
	Standard clamp 50 mm for round tubes, black – LEFT Item number: EBX035-BK	included	
	Standard clamp 50 mm for round tubes, black – RIGHT Item number: EBX036-BK		
	Standard clamp 50 mm with safety lock, black – LEFT Item number: EBX035T-BK	€ 0.00	
	Standard clamp 50 mm with safety lock, black – RIGHT Item number: EBX036T-BK		
	70 mm clamp for round tubes, black – LEFT Item number: EBX03C-BK	€ 0.00	
	70 mm clamp for round tubes, black – RIGHT Item number: EBX03D-BK		
	 K2  K1  MEYRA FEMTO R  OFFCARR THEMIS Clamps 50 mm for Küschall K2, K1, Meyra FEMTO R and OFFCARR Themis tube profiles, black Item numbers: L: EBX06F-BK / R: EBX06E-BK	€ 0.00	
	 K2  K1  MEYRA FEMTO R  OFFCARR THEMIS Clamps 70 mm for Küschall K2, K1, Meyra FEMTO R and OFFCARR Themis tube profiles, black Item numbers: L: EBX06H-BK / R: EBX06G-BK	€ 0.00	
	Clamp 50 mm for Oval tubes, black – LEFT Item number: EBX07A-BK	€ 0.00	
	Clamp 50 mm for Oval tubes, black – RIGHT Item number: EBX07B-BK		
	Clamp 70 mm for Oval tubes, black – LEFT Item number: EBX07C-BK	€ 0.00	
	Clamp 70 mm for Oval tubes, black – RIGHT Item number: EBX07D-BK		
	40 mm clamp for round tubes, black – LEFT Item number: EBX03A-BK	€ 0.00	
	40 mm clamp for round tubes, black – RIGHT Item number: EBX03B-BK		
	Clamp 50 mm with cut-out for T-joint – LEFT Item number: EBX03F-BK	€ 0.00	
	Clamp 50 mm with cut-out for T-joint – RIGHT Item number: EBX03E-BK		
Any additional info / remark?			


5. Longer spindle for manual clamps

Picture	Description	Extra price excl. VAT	Optional	Qty.
	Longer spindle for larger opening required for tube diameter over ø32 mm Item number: EBX058L (1 piece) ●	€ 0.00		
Important: Please note that you need 2 pcs per wheelchair				

6. Clamp tubes

Picture	Description	Extra price excl. VAT	Optional	Qty.
	Standard clamp tube, 160/100 mm, black alu. Item number: EBC213-BK (1 piece) ●	included		
	Long clamp tube, 210/150 mm, black alu. Item number: EBC213A-BK (1 piece) ●	€ 0.00		
Important: Please note that you need 2 pcs per wheelchair				

7. Tube protectors

Picture	Description	Price per set	Optional	Qty
	Tube protector for Panthera wheelchairs Item number for 1 piece: EBC02N (x 2pcs) ●	€ 0.00		
	Tube protector 65 mm for ø22 mm tubes and clamps 50 mm Item number for 1 piece: EBC06N (x 2pcs) ●	€ 0.00		
	Tube protector 86 mm for ø22 mm tubes and clamps 70 mm Item number for 1 piece: EBC06N-L (x 2pcs) ●	€ 0.00		
	Tube protector 65 mm for ø25 mm tubes and clamps 50 mm Item number for 1 piece: EBC05N (x 2pcs) ●	€ 0.00		
	Tube protector 86 mm for ø25 mm tubes and clamps 70 mm Item number for 1 piece: EBC05N-L (x 2pcs) ●	€ 0.00		
Important: Please note that you need 2 pcs per wheelchair)				

8. Speed settings

Gear	1	2	3	Reverse
Customer-specific gear and speed details				
Predefined speed	Yes please use my default setting profile			
Note: Always drive within your ability to control the device to a safe stop. Using/driving the device at uncontrollable speeds is the user's responsibility and the manufacturer/dealer will deny/refuse any responsibility of accidents or damages to third party.				
Any additional info / remark?				

9. Handlebar Stem – option only available for ECO Travel LX



Pictures	Description	Extra price excl. VAT	Optional	Qty.
	Default for ECO Travel Bx with 110 mm fixed length Item number: EBH00G-A	● included		
	Default for ECO Travel Lx with adjustable length 180-215 mm Item number: EBH00G	● included		
	Alternative length for ECO Travel Lx, with adjustable length 210-265 mm Item number: EBH01G	● € 0.00		
	Alternative clamp for handlebar stem with bigger angle. May be necessary in specific situations. Item number: EBH200-A	● € 0.00		

10. Accessories

Picture	Description	Extra price excl. VAT	Opt.	Qty.
	High capacity Lithium-ion battery , 48V, 11.6 Ah, 556.8 Wh – 3.1 kg Item number: EBB0048T2A	● € 0.00		
Coming soon	Footplate solution for wheelchairs with removable legrests	○ € 0.00		
Coming soon	Small shopping basket	○ € 0.00		
Coming soon	Mini weights for ECO Travel	○ € 0.00		

● Always in stock ○ Not in stock at the moment. Ask for delivery time.

10. Accessories continues

Picture	Description	Extra price excl. VAT	Opt.	Qty.
Coming soon	Travel bag for ECO Travel Bx <input type="radio"/>	€ 0.00		
	Safety lock for clamp handle which prevents unwanted clamp opening during driving with your dog, driving with something in your lap, etc. Item number: EBX035-S (1 piece) <input checked="" type="radio"/>	€ 0.00		
	Charger for ECO Travel batteries, 48V 2.0A, CE Item number: EBBC046 <input checked="" type="radio"/>	€ 0.00		

Other important information for that order (copy of the mail etc.)

Note:

Always drive within your ability to control the device to a safe stop. Using/driving the device at uncontrollable speeds is the user's responsibility and the manufacturer/dealer will deny/refuse any responsibility of accidents or damages to third party. Disclaimer to be signed if custom speed has been set up. We herewith advise, that using the PAWS with max. speed-settings higher than 4 Mph is only permitted on public roads in certain countries and otherwise may only be used on private property. In the absence of approval, in accordance with the road traffic laws, the PAWS with speed-settings higher than 4 Mph may not be driven on public roads, bicycle-lanes and pavements. You need to inform yourself about the country specific legislation regarding usage and your legal obligation to insure the PAWS, speed settings higher than 4 Mph (8,12 and 18 Mph). When you're travelling with your PAWS, always check the specific legislation in the respective country. When placing an order for a max. speed-setting higher than 4 Mph please confirm with your signature below, that you have understood the above information and that you only intend the usage of your PAWS on private property. We herewith advise, that using the PAWS with max. speed-settings higher than 4 Mph is only permitted on public roads in certain countries and otherwise may only be used on private property. please confirm with your signature below, that you have understood the above information and that you only intend the usage of your PAWS on private property herewith confirm, that I am aware of the information above, that I will follow strictly the country specific legislation.

Date

Customer Signature

☒ Always in stock ☐ Not in stock at the moment. Ask for delivery time.